

А.В. КОРОБКО¹, М.Ю. ПРОКУРОВ²

¹ФГБОУ ВО «Орловский государственный университет имени И.С. Тургенева», г. Орел, Россия

²ФГБОУ ВО «Брянский государственный инженерно-технологический университет», г. Брянск, Россия

АППРОКСИМАЦИЯ ПРОГИБОВ ПЛАСТИНОК, ЛЕЖАЩИХ НА ВИНКЛЕРОВОМ ОСНОВАНИИ

Аннотация. Цель научного исследования состоит в развитии метода интерполяции по коэффициенту формы для расчёта максимального прогиба тонких пластинок на упругом винклеровом основании, нашедших широкое применение при моделировании работы элементов строительных конструкций зданий и сооружений. Указанный метод расчёта позволяет получать решения на основе прямых аналитических зависимостей, аргументом которых является интегральная характеристика плоской выпуклой односвязной области – коэффициент формы. Эта характеристика имеет применение в ряде задач математической физики и известна по работам учёных Г. Полиа и Г. Сегё. Впервые к расчёту пластинок коэффициент формы применён профессором В.И. Коробко. Метод интерполяции по коэффициенту формы разработан профессором А.В. Коробко. При определении максимального прогиба тонких пластинок на упругом основании отдельные параметры задачи рассматриваются как функции от коэффициента формы рассматриваемой пластинки и определяются типом граничных условий на её контуре. Построению аппроксимирующих функций для непрерывных множеств пластинок характерных очертаний и граничных условий посвящено настоящее исследование. В статье приводятся функции для расчёта значения максимального прогиба упругих пластинок в виде равнобедренных треугольников, ромбов и прямоугольников. При этом рассматриваются пластинки с различными комбинациями шарнирного опирания и жёсткого защемления по их отдельным сторонам, нагруженные сплошной равномерно распределённой нагрузкой. Установленные функциональные зависимости предназначены для непосредственного использования при расчёте пластинок указанных очертаний, а также для получения опорных решений при интерполяции значений максимальных прогибов пластинок более сложных очертаний.

Ключевые слова: упругие пластинки, винклеровское основание, максимальный прогиб, коэффициент формы, аппроксимирующая функция.

A.V. KOROBKO¹, M.Yu. PROKUROV²

¹Orel State University named after I.S. Turgenev, Orel, Russia

²Bryansk State Technological University of Engineering, Bryansk, Russia

APPROXIMATION OF DEFLECTIONS OF PLATES LYING ON WINKLER BASE

Abstract. The purpose of this research is to develop the method of shape factor interpolation for calculating the maximum deflection of thin plates on an elastic Winkler base, which are widely used in modeling the operation of elements of building constructions of buildings and structures. The above calculation method allows to obtain solutions based on direct analytical dependences, the argument of which is an integral characteristic of a flat convex one-connected area - the shape factor. This characteristic has applications in a number of problems of mathematical physics and is known from the works of scientists G. Polia and G. Szegö. The shape factor was first applied to the calculation of plates by Professor V.I. Korobko. The method of interpolation by shape factor was developed by Professor A.V. Korobko. When determining the maximum deflection of thin plates on an elastic base, some parameters of the problem are considered as functions of the shape factor of the plate in consideration and are determined by the type of boundary conditions on its contour. The present study is devoted to the construction of approximating functions for continuous sets of plates of characteristic outlines and

boundary conditions. The paper presents functions for calculating the maximum deflection of elastic plates in the form of isosceles triangles, rhombuses and rectangles. The plates with various combinations of hinged support and rigid pinch along their individual sides, loaded with a continuous uniformly distributed load, are considered. The established functional dependences are intended for direct use in the calculation of plates of the specified outlines, as well as for obtaining reference solutions during interpolation of the values of maximum deflections of plates of more complex outlines.

Keywords: elastic plates, Winkler base, maximum deflection, shape factor, approximating function.

СПИСОК ЛИТЕРАТУРЫ

1. Sahoo S., Veerendar C., Thammishetti N., Prakash S.S. Experimental and numerical study on behaviour of fibre reinforced lightweight hollow core slabs under different flexure to shear ratios // Structures. 2023. Volume 50. Pp. 1264-1284. <https://doi.org/10.1016/j.istruc.2023.02.099>
2. Zheng B., Zheng W., Cao B., Zhang Y. Nonlinear finite element analysis of non-symmetrical punching shear of rectangular flat slabs supported on square columns // Engineering Structures. 2023. Volume 277. 115451. <https://doi.org/10.1016/j.engstruct.2022.115451>
3. Wang R., Fang Z., Lezgy-Nazargah M. Khosravi H. Nonlinear analysis of reinforced concrete slabs using a quasi-3D mixed finite element formulation // Engineering Structures. 2023. Volume 294. 116781. <https://doi.org/10.1016/j.engstruct.2023.116781>
4. Sahoo S., Veerendar C., Prakash S.S. Experimental and numerical studies on flexural behaviour of lightweight and sustainable precast fibre reinforced hollow core slabs // Construction and Building Materials. 2023. Volume 377. 131072. <https://doi.org/10.1016/j.conbuildmat.2023.131072>
5. Plans A., Grau D., Soltanalipour M., Ferrer-Ballester M., Marimon F., Andreu A. Three-dimensional finite element modeling for bending and pull-out tests of composite slabs // Engineering Structures. 2023. Volume 295. 116785. <https://doi.org/10.1016/j.engstruct.2023.116785>
6. Коробко А.В. Геометрическое моделирование формы области в двумерных задачах теории упругости. Москва: Издательство АСВ, 1999. 320 с.
7. Полия Г., Сегё Г. Изопериметрические неравенства в математической физике. Москва: Издательство КомКнига, 2006. 336 с.
8. Коробко В.И. Изопериметрический метод в строительной механике: Теоретические основы изопериметрического метода. Москва: Издательство АСВ, 1997. 390 с.
9. Коробко В.И., Коробко А.В., Морозов С.А., Прокуров М.Ю. Расчёт пластиноок методом предельного равновесия. Орёл: Типография «Труд», 2012. 360 с.
10. Коробко А.В., Прокуров М.Ю., Черняев А.А. Развитие технической теории расчета пластиначатых конструкций на основе методов геометрического моделирования их формы // Строительство и реконструкция. 2015. № 1 (57). С. 17-21.
11. Прокуров М.Ю. Новый интерполяционный метод определения максимальных значений прогибов тонких упругих пластиноок с произвольным выпуклым контуром // Строительство и реконструкция. 2016. № 2 (64). С. 39-46.
12. Фетисова М.А., Володин С.С. Коэффициент формы как геометрическая характеристика // Молодой учёный. 2011. № 5 (28). С. 105-107.
13. Фетисова М.А., Володин С.С. Применение метода интерполяции по коэффициенту формы для решения задач строительной механики // Молодой учёный. 2013. № 3 (50). С. 114-116.
14. Актуганов А.А. Применение метода интерполяции по коэффициенту формы к расчету пластиноок на упругом основании, нагруженных сосредоточенной силой // Строительство и реконструкция. 2013. № 2 (46). С. 3-11.
15. Коробко В.И., Актуганов А.А. Применение метода интерполяции по коэффициенту формы к расчёту пластиноок на упругом основании // Строительная механика и расчёт сооружений. 2014. № 1 (252). С. 18-24.
16. Прокуров М.Ю. Программа расчета максимального прогиба тонких пластиноок на упругом основании методом интерполяции по коэффициенту формы // Строительная механика и расчёт сооружений. 2019. № 4 (285). С. 37-46.
17. Черняев А.А. Определение максимального прогиба треугольных пластиноок с комбинированными граничными условиями с использованием отношения конформных радиусов // Строительная механика и расчёт сооружений. 2011. № 6 (239). С. 23-29.

REFERENCES

1. Sahoo S., Veerendar C., Thammishetti N., Prakash S.S. Experimental and numerical study on behaviour of fibre reinforced lightweight hollow core slabs under different flexure to shear ratios. *Structures*. 2023. Volume 50. Pp. 1264-1284. <https://doi.org/10.1016/j.istruc.2023.02.099>

Теория инженерных сооружений. Строительные конструкции

2. Zheng B., Zheng W., Cao B., Zhang Y. Nonlinear finite element analysis of non-symmetrical punching shear of rectangular flat slabs supported on square columns. *Engineering Structures*. 2023. Volume 277. 115451. <https://doi.org/10.1016/j.engstruct.2022.115451>
3. Wang R., Fang Z., Lezgy-Nazargah M. Khosravi H. Nonlinear analysis of reinforced concrete slabs using a quasi-3D mixed finite element formulation. *Engineering Structures*. 2023. Volume 294. 116781. <https://doi.org/10.1016/j.engstruct.2023.116781>
4. Sahoo S., Veerendar C., Prakash S.S. Experimental and numerical studies on flexural behaviour of lightweight and sustainable precast fibre reinforced hollow core slabs. *Construction and Building Materials*. 2023. Volume 377. 131072. <https://doi.org/10.1016/j.conbuildmat.2023.131072>
5. Plans A., Grau D., Soltanalipour M., Ferrer-Ballester M., Marimon F., Andreu A. Three-dimensional finite element modeling for bending and pull-out tests of composite slabs. *Engineering Structures*. 2023. Volume 295. 116785. <https://doi.org/10.1016/j.engstruct.2023.116785>
6. Korobko A.V. Geometricheskoe modelirovanie formy oblasti v dvumernykh zadachakh teorii uprugosti [Geometric modeling of the shape of the region in two-dimensional problems of elasticity theory]. Moskva: Izdatel'stvo ASV, 1999. 320 p. (rus)
7. Polia G., Szegö G. Izoperimetricheskie neravenstva v matematicheskoy fizike [Isoperimetric inequalities in mathematical physics]. Moskva: Izdatel'stvo KomKniga, 2006. 336 p. (rus)
8. Korobko V.I. Izoperimetricheskiy metod v stroitel'noy mehanike: Teoreticheskie osnovy izoperimetricheskogo metoda [Isoperimetric method in structural mechanics: Theoretical foundations isoperimetric method]. Moskva: Izdatel'stvo ASV, 1997. 390 p. (rus)
9. Korobko V.I., Korobko A.V., Morozov S.A., Prokurov M.Yu. Raschyt plastinok metodom predel'nogo ravnovesiya [Calculation of plates using the limit equilibrium method]. Oryol: Tipografiya «Trud», 2012. 360 p. (rus)
10. Korobko A.V., Prokurov M.Yu., Chernyaev A.A. Razvitie tekhnicheskoy teorii rascheta plastinchatykh konstruktsiy na osnove metodov geometricheskogo modelirovaniya ikh formy [Development of the technical theory of calculation of plate structures on the basis of methods of geometric modeling of their shape]. *Stroitel'stvo i rekonstruktsiya*. 2015. Vol. 57. No. 1. Pp. 17-21. (rus)
11. Prokurov M.Yu. Novyy interpolyatsionnyy metod opredeleniya maksimal'nykh znacheniy progibov tonikh uprugikh plastinok s proizvol'nym vypuklym konturom [A new interpolational method of estimating maximum deflection values for thin elastic plates with arbitrary convex contour]. *Stroitel'stvo i rekonstruktsiya*. 2016. Vol. 64. No. 2. Pp. 39-46. (rus)
12. Fetisova M.A., Volodin S.S. Koeffitsient formy kak geometricheskaya kharakteristika [Shape factor as a geometric characteristic]. *Molodoy uchyonyy*. 2011. Vol. 28. No 5. Pp. 105-107. (rus)
13. Fetisova M.A., Volodin S.S. Primenenie metoda interpolyatsii po koeffitsientu formy dlya resheniya zadach stroitel'noy mehaniki [Application of the method of interpolation by the factor of shape for solving problems of structural mechanics]. *Molodoy uchyonyy*. 2013. Vol. 50. No 3. Pp. 114-116. (rus)
14. Aktuganov A.A. Primenenie metoda interpolyatsii po koeffitsientu formy k raschetu plastinok na uprugom osnovanii, nagruzhennykh sosredotochennoy siloy [Application of the method of interpolation by the factor of shape to the calculation of plates founded on an elastic base and loaded with concentrated force]. *Stroitel'stvo i rekonstruktsiya*. 2013. Vol. 46. No 2. Pp. 3-11. (rus)
15. Korobko V.I., Aktuganov A.A. Primenenie metoda interpolyatsii po koeffitsientu formy k raschytu plastinok na uprugom osnovanii [Application of the method of interpolation by the factor of shape to the calculation of plates on an elastic base]. *Stroitel'naya mehanika i raschyt sooruzheniy*. 2014. Vol. 252. No 1. Pp. 18-24. (rus)
16. Prokurov M.Yu. Programma rascheta maksimal'nogo progiba tonikh plastinok na uprugom osnovanii metodom interpolyatsii po koeffitsientu formy [Calculation programme for maximum deflection of thin elastic plates on elastic foundation using interpolation method based on shape factor]. *Stroitel'naya mehanika i raschyt sooruzheniy*. 2019. Vol. 285. No 4. Pp. 37-46. (rus)
17. Chernyaev A.A. Opredelenie maksimal'nogo progiba treugol'nykh plastinok s kombinirovannymi granichnymi usloviyami s ispol'zovaniem otnosheniya konformnykh radiusov [Determination of the maximum deflection of triangular plates with combined boundary conditions using the ratio of conformal radii]. *Stroitel'naya mehanika i raschyt sooruzheniy*. 2011. Vol. 239. No 6. Pp. 23-29. (rus)

Информация об авторах:

Коробко Андрей Викторович

ФГБОУ ВО «Орловский государственный университет имени И.С. Тургенева», г. Орел, Россия,
доктор технических наук, профессор, профессор кафедры мехатроники, механики и робототехники.
E-mail: ankor.66@mail.ru

Прокуров Максим Юрьевич

ФГБОУ ВО «Брянский государственный инженерно-технологический университет», г. Брянск, Россия,
кандидат технических наук, доцент, доцент кафедры «Строительные конструкции».
E-mail: m.prokuroff@mail.ru

Information about authors:

Korobko Andrey V.

Orel State University named after I.S. Turgenev, Orel, Russia,
doctor of technical sciences, professor, professor of the department of mechatronics, mechanics and robotics.
E-mail: ankor.66@mail.ru

Prokurov Maxim Yu.

Bryansk State Technological University of Engineering, Bryansk, Russia,
candidate of technical science, docent, associated professor of the department of building structures.
E-mail: m.prokuroff@mail.ru